



AN ISO 9001:2015,
ISO 14001:2015,
ISO 45001:2018,
ISO 2014/68/EU CERTIFIED CO.

Empowering
Creativity
With Steelwork



RUINOX OVERSEAS

AN ISO 9001, ISO 14001, ISO 45001 & 2014/68/EU CERTIFIED CO.

STAINLESS STEEL | CARBON STEEL | ALLOY STEEL | DUPLEX STEEL



RUINOX OVERSEAS

Empowering Creativity with Steelwork

Certificates

ISO 9001:2015

AQSR

Certificate of Registration
QUALITY MANAGEMENT SYSTEM

Certificate No.: 17306

This is to certify that the Management System of

RUINOX OVERSEAS
Ground Floor, Shop No.2, No.25, Vadgama Building, Panjarpool 3rd Street,
Near C.P. Tank Road, Galal Wadi, Mumbai, Maharashtra, 400004

has been found to conform to

ISO 9001:2015

This Certificate is valid for the below scope of services
Manufacturer and Exporter of Duplex, Super Duplex, Nickel Alloys, Stainless Steel, Alloy Steel, Carbon Steel of Socket weld fittings, Pipe Fittings, Tube Fittings, Flanges, Fasteners & Stockist of Pipes & Plates.

Date of Registration: 25/04/2025
Re-certification Date: 24/04/2028

Date of Expiry: 24/04/2026
Signed on behalf of AQSR

UNITED STATES ACCREDITATION
USAC

The certificate is valid for three years subject to satisfactory annual assessment. To check certificate authenticity, please visit www.aqsr.com or American Quality Standards Register, 1201 Orange Street, Suite 600, Wilmington, DE 19801, USA. Accredited by United States Accreditation Council (USAC) LLC, Mount Laurel, NJ, USA. www.usacouncil.com

PED CERTIFIED

AQSR

Certificate of Registration
PRESSURE EQUIPMENT DIRECTIVE

Certificate No - 17309

This is to certify that the Quality Management System of

RUINOX OVERSEAS
Ground Floor, Shop No.2, No.25, Vadgama Building, Panjarpool 3rd Street,
Near C.P. Tank Road, Galal Wadi, Mumbai, Maharashtra, 400004

has been found to conform to:

European Directive 2014/68/EU

This Certificate is valid for the below scope of services
Manufacturer and Exporter of Duplex, Super Duplex, Nickel Alloys, Stainless Steel, Alloy Steel, Carbon Steel of Socket weld fittings, Pipe Fittings, Tube Fittings, Flanges, Fasteners & Stockist of Pipes & Plates.

Date of Registration: 25/04/2025
Re-certification Date: 24/04/2028

Date of Expiry: 24/04/2026
Signed on behalf of AQSR

UNITED STATES ACCREDITATION
USAC

CE

The certificate is valid for three years subject to satisfactory annual assessment. To check certificate authenticity, please visit www.aqsr.com or American Quality Standards Register, 1201 Orange Street, Suite 600, Wilmington, DE 19801, USA. Accredited by United States Accreditation Council (USAC) LLC, Mount Laurel, NJ, USA. www.usacouncil.com

ISO 14001:2015

AQSR

Certificate of Registration
ENVIRONMENT MANAGEMENT SYSTEM

Certificate No. 17307

This is to certify that the Management System of

RUINOX OVERSEAS
Ground Floor, Shop No.2, No.25, Vadgama Building, Panjarpool 3rd Street,
Near C.P. Tank Road, Galal Wadi, Mumbai, Maharashtra, 400004

has been found to conform to

ISO 14001:2015

This Certificate is valid for the below scope of services
Manufacturer and Exporter of Duplex, Super Duplex, Nickel Alloys, Stainless Steel, Alloy Steel, Carbon Steel of Socket weld fittings, Pipe Fittings, Tube Fittings, Flanges, Fasteners & Stockist of Pipes & Plates.

Date of Registration: 25/04/2025
Re-certification Date: 24/04/2028

Date of Expiry: 24/04/2026
Signed on behalf of AQSR

UNITED STATES ACCREDITATION
USAC

The certificate is valid for three years subject to satisfactory annual assessment. To check certificate authenticity, please visit www.aqsr.com or American Quality Standards Register, 1201 Orange Street, Suite 600, Wilmington, DE 19801, USA. Accredited by United States Accreditation Council (USAC) LLC, Mount Laurel, NJ, USA. www.usacouncil.com

ISO 45001:2018

AQSR

Certificate of Registration
OCCUPATIONAL HEALTH & SAFETY

Certificate No. 17308

This is to certify that the Management System of

RUINOX OVERSEAS
Ground Floor, Shop No.2, No.25, Vadgama Building, Panjarpool 3rd Street,
Near C.P. Tank Road, Galal Wadi, Mumbai, Maharashtra, 400004

has been found to conform to

ISO 45001:2018

This Certificate is valid for the below scope of Services
Manufacturer and Exporter of Duplex, Super Duplex, Nickel Alloys, Stainless Steel, Alloy Steel, Carbon Steel of Socket weld fittings, Pipe Fittings, Tube Fittings, Flanges, Fasteners & Stockist of Pipes & Plates.

Date of Registration: 25/04/2025
Re-certification Date: 24/04/2028

Date of Expiry: 24/04/2026
Signed on behalf of AQSR

UNITED STATES ACCREDITATION
USAC

The certificate is valid for three years subject to satisfactory annual assessment. To check certificate authenticity, please visit www.aqsr.com or American Quality Standards Register, 1201 Orange Street, Suite 600, Wilmington, DE 19801, USA. Accredited by United States Accreditation Council (USAC) LLC, Mount Laurel, NJ, USA. www.usacouncil.com



RUINOX OVERSEAS

Empowering Creativity with Steelwork



About Us

Founded in 1991, **RUINOX OVERSEAS** has rapidly emerged as a trailblazer in international markets, distinguished by its unwavering commitment to total quality and unparalleled flexibility.

Our journey to success is rooted in years of profound experience within the steel industry, coupled with a keen understanding of our customers' evolving needs. **RUINOX OVERSEAS** stands out through exclusive technology, certified products, stringent quality standards, and an unwavering dedication to exceptional customer service, positioning us as a true global performer and a trusted partner for our clientele.

What sets us apart is our ability to deliver any size, any grade, and any quality at a competitive price across various forms: pipes, tubes, plates, flanges, fittings, fasteners, valves, bars, and customized forgings. This exemplifies our exceptional flexibility. Our commitment to meeting customer delivery needs and adhering to complex technical specifications underscores our unwavering dedication to total quality.

At the heart of our success is an unrivaled product portfolio, strategically headquartered in Mumbai, enabling us to foster enduring relationships with our clients. Our primary goal is to facilitate smooth deliveries, providing not just reassurance but peace of mind.

As part of our continuous improvement initiative, **RUINOX OVERSEAS** consistently strives to maintain a market-leading position through ongoing research, strategic investments, and a culture of innovation.

Drawing upon extensive engineering experience, our mission is not just to meet our clients' needs but to exceed their expectations, delighting them with unparalleled product and service quality.

Our Commitment : We are committed to :

Offering a comprehensive range of high-quality products and services across various fields. Executing all aspects of our work with the highest level of professionalism and excellence. Providing exceptional workmanship.

Our Vision

To be the benchmark of the Indian Stainless Steel Pipe Industry, delivering superior value products through innovation and operational excellence.

Our Mission

Aligned with the vision and values of our founders, we aim to fortify India's industrial base by leveraging cutting-edge technology, ensuring high productivity, and adhering to modern management practices. Recognizing honesty and integrity as essential pillars of a robust enterprise, we understand that profitability ignites the engine of economic activity.



info@ruinox.com / export@ruinox.com




www.ruinox.com



RUINOX OVERSEAS

Empowering Creativity with Steelwork



Product Gallery



BW Fittings



Forged Fittings



Valves



Flange




Instrumentation Fitting



Fasteners



Pipes & Tubes



Sheet Plate



Round Bar





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Manufacturing Range

Buttweld Fittings

TYPES

- 90° ELBOW (1D/1.5D/3D/5D)
- 45° ELBOW
- 180° LR RETURN
- 180° SR RETURN
- EQUAL TEE
- REDUCING TEE
- CONCENTRIC REDUCER
- ECCENTRIC REDUCER
- END CAP
- LONG / SHORT STUB END
- LONG RADIUS PIGGABLE BEND
- AS PER DRAWING

MATERIALS

STAINLESS STEEL : ASTM A403 WP 304/ 304L/ 304H/316/ 316L/ 317/ 317L/ 321/ 310/ 347/904L.

CARBON STEEL : ASTM A234 WPB/A420 WPL3/A420 WPL6/ MSS-SP-75 WPHY 42/46/52 /56/60/65/70.

ALLOY STEEL : ASTM A234 WP1/ WP5/ WP9/ WP11/ WP22/ WP91.

DUPLEX & SUPER DUPLEX : UNS-S 31803 / 32760, UNS-32750.

NICKEL ALLOYS : 201/200 .

MONEL ALLOY : 400/K-500.

INCONEL : 600, 601, 625, 825, 800 /800H /800HT.

HASTELLOY : C22, C276, B-2000.


TITANIUM : GR. 1, 2, 5, 7.

OTHERS : TANTALUM, SMO 254, ALLOY 20 / 330, ALUMINIUM.

SIZE RANGE

- **SIZE :** 1/4" NB TO 24" NB (SEAMLESS) & UPTO 48" NB (WELDED)
- **WALL THICKNESS :** SCH. 5S TO SCH. XXS.


MANUFACTURING
PROCESS





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Long Radius Bend

Size	: 2" NB to 18" NB in SCH : 20, 40, STD. 60, 80, XS, 100, 120, 140, 160, XXS Available with NACE MR 01-75
Type	: Seamless / ERW / Fabricated
Radius	: 3D, 5D, 6D, 8D, 10D, 20D or as per the Drawing
Stainless Steel	: ASTM / ASME A/SA 403
Grade	: WP "S" "W" "WX" - 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316Ti, 316H, 316L, 316LN, 317, 317L, 321, 321H, 347, 347H, 904L
Duplex Steel	: ASTM / ASME SA 815
Grade	: UNS NO. S31803, S32205, S322750, S32760
Carbon Steel	: Standard : ASTM A 234 WPB / MSS-SP-75
Grade	: WPB, WPBW, WPHY 42, WPHY 46, WPHY 52, WPHY 60, WPHY 65 & WPHY 70
Low Temp Carbon Steel	: A420 WPL3 / A420 WPL6
Alloy Steel	: ASTM / ASME A/SA 234 Grade : WP1, WP5, WP9, WP11, WP12, WP22, WP23, WP91
Copper Alloy	: C70600 (90:10), C71500 (70:30), C71640.
Nickel Alloy	: ASTM / ASME SB 366
Grade	: UNS 10276 (HASTELLOY C276), UNS 2200 (Nickel 200), UNS 2201 (Nickel 201), UNS 4400 (Monel 400), UNS 5500 (Monel K500), UNS 8020 (ALLOY 20/20) CB 3, UNS 8825 (INCONEL 825), UNS 6600 (INCONEL 600), UNS 6601 (INCONEL 601), UNS 6625 (INCONEL 625), UNS 8800 (INCONEL 800), UNS 8810 (INCONEL 800H), UNS 8825 (INCONEL 825)
Aluminium	: Standard ASTM / ASME SB361, Grade : 3003H18, 3003H112, 6061 T6, 6063 T6, 6351 T5, 6051 T6
Titanium	: Standard ASTM / ASME SB363, Grade : GR 1, GR 2, GR 5, GR 7, GR 9, GR 12, GR 23



Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex® are Registered Trade Marks of their Respective Owners.





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Manufacturing Range

TYPES

- 90° ELBOW
- 45° ELBOW
- EQUAL TEE
- REDUCING TEE
- FULL COUPLING
- HALF COUPLING
- CROSS
- WELDING BOSS
- UNION
- REDUCING INSERT
- CAP
- PLUG
- BUSHING
- HEX / PIPE NIPPLE
- SWAGE NIPPLE
- SOCKOLET
- WELDOLET
- THREDOLET
- LATROLET
- AS PER DRAWING

MATERIALS

STAINLESS STEEL : ASTM A182 F304/ 304L/ 304H/ 316/ 316L/ 317/ 317L/ 321/310/347/904L.

CARBON STEEL : ASTM A105 / 105N A694 F42/46/52/56/60/65/ 70/A 350 LF2 CLASS 1/2.

ALLOY STEEL : ASTM A182 F1/ F5/ F9/ F11/ F22/ F91 ETC.

DUPLEX & SUPER DUPLEX : UNS-S31803 / 32760, UNS-32750.

NICKEL ALLOYS : 201/200.

MONEL ALLOY : 400/K-500.

INCONEL : 600, 601, 625, 825, 800 /800H /800HT.

HASTELLOY : C22, C276, B-2000.


TITANIUM : GR. 1, 2, 5, 7.

OTHERS : TANTALUM, SMO 254, ALLOY 20 / 330.

SIZE RANGE

- **SIZE :** 1/4" NB TO 4" NB (THREADED & SOCKETWELD)
- **CLASS :** 2000#, 3000#, 6000#, 9000#.

MANUFACTURING
PROCESS



info@ruinox.com / export@ruinox.com



www.ruinox.com



RUINOX OVERSEAS

Empowering Creativity with Steelwork



Manufacturing Range

TYPES

- WELDNECK
- SLIPON
- BLIND
- THREADED
- SOCKET WELD
- LAPPED JOINT
- LONG WELD NECK
- PLATE FLANGE
- WELDNECK SERIES A
- WELDNECK SERIES B
- BLIND SERIES A
- BLIND SERIES A
- SPECTACLES BLIND
- PADDLE BLANK & SPACER
- ORIFICE
- AS PER DRAWING

MATERIALS

STAINLESS STEEL : ASTM A182 F304/ 304L/ 304H/ 316/ 316L/ 317/ 317L/ 321/ 310/ 347/ 904L.

CARBON STEEL : ASTM A105/105N

A694 F42/46/52/56/60/65/70 A350 LF2 CLASS 1/2.

ALLOY STEEL : ASTM A182 F1/ F5/ F9/ F11/ F22/ F91.

DUPLEX & SUPER DUPLEX : UNS-S 31803 / 32760, UNS-32750.

NICKEL ALLOYS : 201/200.

MONEL ALLOY : 400/K-500.

INCONEL : 600, 601, 625, 825, 800 /800H /800HT.

HASTELLOY : C22, C276, B-2000.

TITANIUM : GR. 1, 2, 5, 7.


OTHERS : TANTALUM, SMO 254, ALLOY 20 / 330, ALUMINIUM.

Flanges

SIZE RANGE

- **SIZE :** 1/4" NB TO 24" NB (ABOVE AS PER CUSTOMER REQUIREMENT)
- **CLASS :** 150#, 300#, 600#, 900#, 1500#, 2500#.

MANUFACTURING
PROCESS





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Manufacturing Range

We hold expertise in offering fasteners, such as nuts, bolts, washers, anchor fasteners, stud bolts, Threaded Rod to clients. These material available in grade, such as Stainless Steel, Carbon Steel, Duplex Steel, Monel, Inconel, Hastelloy, Titanium and Nickel Alloy, Wich Alloy Steel assure their high tensile strength and corrosion resistance. Our range finds applications in numerous industries and is offered in sizes ranging from M4 TO M100, length up to 5 meters as per the client's requirements.

Types

- ANCHOR FASTENERS
- HEX HEAD BOLTS
- SOCKET CAPS SCREW
- HEX NUTS
- EYE BOLTS
- WASHERS
- STUB BOLTS
- THREADED RODS
- COUNTERSUNK BOLTS
- FLAT / SPRING / LOCK WASHERS
- FOUNDATION BOLTS
- REFRACTORY ANCHOR

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex® are Registered Trade Marks of their Respective Owners.

Fasteners

Duplex & Super Duplex : 347, 310, 303, 304/304H, 316/316L, 317/317L, 17/4PH, 410, 431, Nitronic 50, Nitronic 60, Nitronic 80A

Carbon Steel : 4.6, 8.8, 10.9, 12.9.

Duplex & Super Duplex : UNS S31803, UNS S32750, UNS S32760, UNS S3250, 254 SMO

Hastelloy Alloy : Hastelloy C4, Hastelloy B2, Hastelloy G30, Hastelloy B3, Hastelloy C276, Hastelloy X, Hastelloy C22

Incoloy Alloys : Incoloy Alloy 20, Incoloy Alloy 800, Incoloy Alloy 800H/800HT, Incoloy Alloy 825, Incoloy Alloy 925, Incoloy Alloy A286

Monel Alloys : Monel 400, Monel R405, Monel K500.


Alloy Steel Fasteners **Standard** : ASTM / ASME A / SA 193 / 194 Gr.
Grade : B6, B7/B7M, B16, 2, 2H, 2HM, GR. 6, B7, B7M





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Manufacturing Range


S S Instrumental Ferrule Fittings



Union Elbow



Male Elbow




Female Elbow



Union Tee




Male Run Tee



Male Branch Tee



Female Run Tee



Female Branch Tee



Union Cross



45 Deg. Elbow



Tube end Closure



Bulk Head Elbow



Positionable Male Elbow



Nut Ferrule



Union



Reducing Union



Bulkhead Union



Male Connector



Female Connector



Male Adaptor

Syphon Tubes



Type : Stainless Steel 304 & 316 Gr. in U type, Trumpet Type (Pigtail & Coil Type)
 Application : Connected between the pressure gauge & process in applications where high temperature above 65 Deg C for e.g., steam. These Syphon Tubes act as a cooling coil and protect the gauge from high temperature vapors.

S. S. Tee / Elbow Ferrule Fittings

- S.S. Union Tee
- S.S. Male Branch Tee
- S.S. Female Branch Tee
- S.S. Male Elbow
- S.S. Cross
- S.S. Valve Body
- S.S. Union

S. S. Forged Blind / Elbow / Cross



S.S. FORGED BLIND HEX ELBOW S.S. ELBOW 45° S.S. CROSS



MANIFOLD VALVE



CONDENSATE POT



S.S. FORGED BLIND HEX TEE





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Manufacturing Range

Valves

- Material** : Stainless Steel / Duplex / Super Duplex / Nickel Alloy / Carbon Steel / Alloy Steel
- Standard** : ASTM / ASME / ANSI / AISI / DIN
- Grade** : WCB, WC1, WC6, WC9, LCB, LCC, LC3, C5, C12, CF8, CF8M, CF3, CF3M, CF8C, CN7M, CD4MCu, A105, 304, 316, Hastelloy, Inconel, Monel, Duplex, Super Duplex
- Types** : Gate Valve, Ball Valve, Globe Valve, Butterfly Valve, Check Valve, Cryogenic Valve, Non Return Valve, Needle Valve, Plug Valves, Control Valves, Dia-pharma Valve, Pinch Valve, Safety Valve, Isolation Valve, Stainer
- Size** : 1/2" to 60"
- Class** : 150#, 300#, 600#, 800#, 900#, 1500# & 2500#.





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Pipes & Tubes

Pipes

Stainless Steel & Duplex Steel Pipe

Size	: ½" to 30"
Schedule	: Sch. 5 to Sch. XXS
Stainless Steel	: ASTM A312, A358 - TP 304/304H/304L/316/316H/ 316L/316Ti/309/310/317/317L/321/347/904L
Duplex Steel	: ASTM A790 - UNS S31803, S32750, S32760, S32205

Alloy Steel, Carbon Steel & LTCS Pipe

Size	: 1/2" to 36"
Schedule	: Sch. 5 to Sch. XXS
Alloy Steel Pipe	: ASTM A335 Gr. P5, P9, P11, P12, P22 & P91
Carbon Steel	: ASTM A 106 Gr. B ASTM A53
Low Temp. Pipe	: ASTM A 333 Gr. 6
Line Pipe	: API 5L, X 42, 46, 52, 56, 60, 70
Mild Steel &	: IS 1239, IS 3589
Galvanized Pipe	

Copper & Nickel Alloys pipe

Size	: ½" NB to 10" NB
Standard	: 10S/40S/80S
Copper Nickel	: C70600 (90:10), C71500 (70:30), C71640
Nickel	: UNS N02200, N02201
Monel	: UNS N04400, N05500, Alloy 20
Inconel	: UNS N06600, N06601, N06625, N08800, N08810, N08825
Hastelloy	: UNS N10276, N06022, N10665, N06455

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex® are Registered Trade Marks of their Respective Owners.

Tubes

Size	: 6 mm OD to 355.60 mm OD
Thickness	: 0.6mm-10mm-Gauge : 22 SWG/BWG to 10 SWG/BWG
Form	: Round, Square, Rectangle, Coil, 'U' Shap
Length	: Standard Length & Cut Length
Stainless Steel Tube	: ASTM A-213, A-249, A269-TP 304/304H/304L, 316/316H/316L/316Ti, TP 309, 310, 317L, 321, 347, 904 L etc.
Low Alloy Steel Tube	: ASTM A 213 - T-11, T-12, T-22, T-5, T-9 etc.
Titanium	: Gr. 1, 2, 5, 7
Carbon Steel Tube	: BS 3059 Gr. 360 / 440, SA 179, SA / ASTM A210 Gr. A1
Copper Nickel Tube	: ASTM B111, C70600 (90.10), C71500 (70:30), C71640
Admiralty Brass Tube	: ASTM B 111 C44300, C44400, C44500, C68700
Copper & Brass Tube	: ASTM B 188 C11000, C12200, C26000, C27000, C28000
Nickel Alloy Tube	: Nickel, Monel, Inconel, Alloy 20 etc.
Specialize	: Capillary Tube, IBR Tubes, Copper Nickel Tube


Types Round | Rectangle | Square | Hydraulic





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Sheets, Plates & Coils

Stainless Steel & Duplex Steel

Stainless Steel : ASTM A240 304/304L/316/316L/316Ti/
309/310/317/317L/321/347/409/410/
430/904L/SMO 254 / AL6XN

Duplex & : Standard
Super Duplex : ASTM A240 - UNS S31803/S32205 (2205)
Lean
ASTM A240 - UNS S32304 (2304)
Super Duplex
ASTM A240 - UNS S32750 (2507)
ASTM A240 - UNS S32760 (Zeron 100)

Quenched & Tempered

ASTM A537 CL.1 & 2

Boiler Quality

SA 516 Gr. 70

Hardox

Hardox 400 / 500

Hi-Nickel & Titanium

Hi-Nickel

Nickel : ASTM B162 N02200, N02201
Inconel : ASTM B 168 N06600, N06601, N06617
ASTM B 670 N07718
ASTM B 443 N06625
Incoloy : ASTM B 409 N08800, N08810
ASTM B 424 N08825
ASTM B 462 N08020
Hastelloy : ASTM B 575 N10276, N06022
ASTM B 333 N10665

Titanium

Commercially : ASTM B 265
Pure : Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)
Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)
Gr.7 R 52400 Gr.11 R 52250
Alloys : ASTM B 265
Gr.5 R 56400 (6Al-4V)
Gr.23 R 56401 (6Al-4V-ELI), Gr.12 R 53400

Alloy Steel, Carbon Steel / Mild Steel

Alloy Steel Pipe : ASTM A387 Gr. 11, 12, 22, 5, 91 (CL 1/2)
Carbon Steel : ASTM A 36
S275 JR
IS 2062 Gr. A/B

Aluminium

ASTM B 928
5083 (A95083), 5086 (A95086),
5052 (A95052) T6061 (A96061)

Spring Steel Coils

CR C55, C80, C62, C45

Cupro Nickel

ASTM B171 C70600 (90:10), C71500 (70:30)

Monel

ASTM B127 N04400, DIN N05500

Size

Sheets : 0.8mm to 4mm thk. in 1000 upto 2000 mm Width
& 2000 upto 6000 Length

Plates : 5mm to 100 mm thk. In 1000 upto 2000 mm Width
& 2000 upto 8000 Length

Coils : 0.1 mm thk. to 12mm thk. in 10mm upto 1500 Width

Foils : 0.01 mm thk. to 0.3 mm thk. in any width

Strips : 1mm thk. to 100 mm thk. in 10 mm upto 900 mm Width
& 1000 upto 6000 Length

Finish

HR No.1, 2B, BA, Matt, Matt+1 side PVC, BA + 1side PVC,
Chequered

Specializing in:
Stainless Steel Series, Hardox 400/500


Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®
are Registered Trade Marks of their Respective Owners.





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Round Bar, Hex, Square,

Welding Filler Wire

Size :

Bright Bars	: from 5mm Dia upto 400mm Dia
Black Bars	: from 16mm Dia upto 450mm Dia
Square Bars	: from 5mm Dia upto 150mm Dia
Hex Bars	: from 5mm Dia upto 150mm Dia
Wires	: 0.1mm Dia to 5mm Dia

Welding Filler Wire :

Nickel Alloys	: 201/200
Monel Alloy	: 400/K-500
Inconel	: 600, 601, 625, 825, 800 / 800H/ 800HT
Hastalloy	: C22, C276, B-2000
Titanium	: Gr. 1, 2, 5, 7, Tantalum SMO 254, Alloy - 904L, Alloy 20, Alloy 330, etc.
Types	: Elbow, Tee, Reducer, Cap, Return Bends, Stub-Ends, Collar, Cross, Insert etc.
Size	: 1/4" NB to 4" NB.
Class	: 3000#, 6000#, 9000#.

Specification :

Condition	: Rolled, Forged, Annealed, Picked, Hot Rolled, Cold Roll
-----------	--

Grades :

Stainless Steel	: 304/304, 316/316L/316Ti, 321, 310/310S, 317/317L, 347, 17-4 Ph. 15-5Ph, 904L, 410, 420, 430, 431, 430F, 416, 440C etc. Copper, Brass, Aluminium, Hastalloy, Titanium, Monel, Inconel, Nickel, etc.
Duplex Steel	: UNS 31803, UNS 32205, UNS 32760
Alloy Steel	: F5, F9, F11, F22, F91 Carbon Steel, Mild Steel, Boiler Quality Plates
Specification	: ASTM, AISI, ASME, DIN, UNS etc.





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Gaskets

We are a prime Manufacturer, Exporter, and Supplier of All types of GASKET as per ANSI and DIN standard & All International Standards. These gaskets are available in Full face as well as Raised face flanges. We ensure best quality and dimensional stability of our ready cut gaskets.

Metallic Gaskets

Ring Type Joint (RTJ)

Spiral Wound

Petromec (RTJ Rubber Coated)

Double Jacketed Gaskets,

Manifold Gaskets,

Camprofile Gaskets,

Serrated & Corrugated Gaskets,

Plate Heat Exchanger Gaskets,

Manhole Gaskets,

Valve & Bonnet Gaskets,

Size Range : 1/2" to 144"

Pressure Range : 150# to 2500#

Non-Metallic Gaskets :

Rubber Gaskets

EPDM Gaskets

Neoprene® Gaskets

Silicone Gaskets

Viton® Gaskets

Nitrile (Buna-N) Gaskets

SBR (Red Rubber) Gaskets Butyl

Rubber Gaskets Natural (Gum)

Rubber Gaskets Polyurethane Gaskets

Food Grade (FDA) Gaskets

DIE CUT GASKETS

Cork & Cork Rubber Gaskets

Compressed Asbestos &

Non-Asbestos Gaskets

EMI RFI Shielding Gaskets

Electrical Insulators

High Temperature Gaskets

Fiber Gaskets

Felt Gaskets

Foam Gaskets

Kapton® Gaskets

PTFE (Teflon®) Gaskets

Silicone Sponge Gaskets

Closed/Open Cell Sponge Gaskets

Flexible Graphite Gaskets

Custom Non-Metallic Washers

Plastic Gaskets

Flange Gaskets

All gaskets are Available in

VITON / SILICON / NEOPRENE/NITRILE/ EPDM/ PTFE (TEFLON)

Silicon Sponge Cord, Silicon Sponge Strip, Silicon Sponge Tube, Silicon Tube

Available in COLOR: RED / WHITE / BLACK

PLATE HEAT EXCHANGER GASKETS

Model: Alfa Laval, Sondex, APV, Armstrong, GEA, Hisaka, Pasillac, Reheat, Swep, Tranter, Vicarb


Material: Nitrile, EPDM, Neoprene, Butyl, and more. Style: Glue, Stud, Clip & Snap-in





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Structural Steel

We can offer you wide variety of structural steel for your regular needs for maintenance, construction as well as development of new projects. with tie ups with majority of manufactures we can offer steel from prime manufacturers like AMNS / SAIL / VIZAG / JINDAL / TISCO as well as from secondary rolling & re rolling manufacturers. we offer following product in our range of structural steel: mild steel structural.

SS / MS Angles

Grade:- IS 2062

Product Range:- The following are the sizes available.

25 x 25 x 3/5, 35 x 35 x 5, 40 x 40 x 5/6, 45 x 45 x 4/5/6,
50 x 50 x 5/6, 60 x 60 x 6/8, 65 x 65 x 6/8/10, 75 x 75 x 6/8/10,
80 x 80 x 6/8, 90 x 90 x 6/8/10, 100 x 100 x 6/8/10/12,
110 x 110 x 8/10/12, 130 x 130 x 10/12, 150 x 150 x 10/12,
150 x 150 x 16/20 200 x 200 x 16/20

All the above mentioned sizes are in mm.

SS / MS Beam

Light, Medium, Standard

Grade:- IS 2062

Product Range:- The following are the sizes available.

100 x 50, 125 x 70, 150 x 75, 175 x 85, 200 x 100, 250 x 125,
300 x 140, 350 x 140, 400 x 150, 450 x 150, 500 x 180, 600 x 210.

All the above mentioned sizes are in mm

TMT Bars

We have a wide range of TMT Re Bars which are available in various types & from Various Primary & Secondary Manufacturers.

Above Material can be offered in Grades Like FE 415 / FE 500

With Manufacturing Test certificate.

SS / MS Channel

Grade : - IS 2062

Product Range:- The following are the sizes available.

75 x 40, 100 x 50, 125 x 75, 150 x 75, 175 x 75, 200 x 75,
250 x 80, 300 x 90, 350 x 100, 400 x 100.

All the above mentioned sizes are in mm

SS / MS Rounds Bars

Product Name:- Wire Rods

Grade:- Low Carbon - 5WR-14 / IS:2062 Gr. A

Product Range :- Diameters available (unit mm),

5mm to 250mm

All the above mentioned sizes are in mm

These are available in straight lengths (as mutually agreed).

SS / MS Flats

Available in size : 21 x 6 mm to 300 x 16 mm

SS / MS Square Bars


Available in size : 10 x 10 mm to 63 x 63 mm





RUINOX OVERSEAS

Empowering Creativity with Steelwork






Chequered / Perforated Sheets

Chequered plates in Stainless Steel and Aluminium are used in a comprehensive range of applications. These sheets are known best for their exceptional quality and durability. Having good forming, drilling and welding ability, these are widely used in decorative, shipbuilding and architectural applications and railways.

We have an in-house chequered plate embossing machine and we provide chequered sheets in a wide range of shapes sizes, forms, and specifications as demanded by the customers.

Perforated (Coils / Sheets / Plates / Circle, Pipes)



We are Manufacturing the perforated Coils / Sheets / Plates, Circle, Pipes, (Welded & Seamless) in the shape of Round, Square, Oblong, Capsule, Rectangular, Hexagonal, Dimpled & Lipped.

Grade 202, 304, 316 as per customer requirements & as per the drawing.

Stainless Steel : Coil, Sheets, Plates, Pipes, Angle, Round, Wire, Wirerope, Chain

Stainless Steel : ASTM A240 Grade 201, 202, 301, 301LN, 304, 304LN, 304H, 309, 309S, 310S, 310L, 316, 316LN, 316H, 316Ti, 321, 321H, 347, 347H, 317L, 317LN, 409, 409M, 409S, 410, 410S, 420, 430, 431, 309, 309S, 309H, 310, UNS S31000, 310S, UNS S31008, 310H, UNS S31009, 310S - Cold Rolled, Hot Rolled

MONEL : Monel 400, Monel K500

TITANIUM : Gr.1, Gr.2, Gr.3, Gr.4, Gr.5, Gr.6, Gr.7, Gr.9, Gr.12 in Round Bars, Pipes, Pipe Fittings, Flanges & Plates.

INCONEL : Inconel 600, Inconel 601, Inconel 625, Inconel 625 LCF, Inconel 686, Inconel 718, Inconel 800, Inconel 825, Inconel X-750

INCOLOY : Incoloy 800, Incoloy 825, Incoloy 925, Incoloy A-286, Incoloy DS

HASTELLOY : Hastelloy C-22, Hastelloy C-276, Hastelloy C-2000

NICKEL ALLOY : Nickel 200 (UNS No.2200), Nickel 201 (UNS No. 2201), Nickel 205 (UNS No.2205)


DUPLEX & SUPER DUPLEX : Duplex 2205, Duplex 2507, Duplex 31803, Duplex 32750, Duplex 32760

STAINLESS STEEL WIRES & ROUND BAR : 304, 202, 316, 409, 410, 416, 420, 422, 430, 431, 440C, 446, 15-5PH, 17-4PH.

PHOSPHOR BRONZE : Gr. 1 / 2 / 3 Cast Products in Round Bars, Forged Bars, Plates, Circle, Ring, Pipe & Bush

ALUMINUM BRONZE : AB1, AB2, Cast Products in Round Bars, Forged Bars, Plates, Circle, Ring, Pipe & Bush

GUN METAL : Commercial Grade & as per Standard Cast Products in Round Bars, Plates, Circle, Ring, Pipe & Bush





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Anchors

Product Range

We have been serving the industry's refractory needs for the past many years. Our main products are

- Refractory Anchors (V, Y, Zig - Zag etc.)
- Hangers,
- C clips,
- Roof Hangers
- Stiffen Plate.
- Air Nozzle For Power Plant

- Brick plates,
- S.S. fibers
- Retainer Plate
- Bolts
- Studs etc.
- Any Small Fabrication work as per drawing

Specification	Type 304	Type 310	Inconel™ Alloy 601
Nearest Werkstoff	1.4301	1.4845	-
Maximum service temp. under certain conditions	800°C	1100°C	1150-1230°C
Melting point	1440°C	1490°C	1300-1375°C

Notes: Inconel™ is a trademark of INCO Ltd

Refractory anchors & other materials are available in expanded metal, hex steel grid and special grid. All products are available in stainless steel grades 304, 316, 310, 321 as well as carbon steel, alloy steel and other standard grades. Thickness from 3 mm to 12 mm

Refractory Fixings

ANCHORS FOR BRICK INSTALLATION

A range of refractory fixings for brick installations is available. The anchors are designed to fit refractory bricks, and can be made to customers' specifications to suit any furnace brick. The range includes brick hooks made from bar, C-clips manufactured from plate and 'scissor clips'.

MESH ANCHORS

A mesh fixing is available for retaining mesh lining. The fixing is supplied open, and is welded to the furnace lining.

BESPOKE ANCHORS

Bespoke refractory anchors can be made to order, including two part anchors and fixings with multiple anchor legs. Please contact us with your requirements.

SPECIAL FABRICATIONS


RUINOX OVERSEAS has many years experience producing special fabrications to individual customer requirements. Bespoke stainless steel refractory fabrications can be designed and manufactured to operate in high temperature environments. These include brickwork support systems for chimney and furnace applications, and incineration components. Advanced manufacturing equipment and a substantial raw material stock are available to provide a consistently high level of service.





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Anchors

REFRACTORY ANCHOR SYSTEMS

RUINOX OVERSEAS manufactures a wide range of refractory anchor fixings to suit any particular application for retaining cantabile and brick installations.

- Refractory Anchors
- Refractory Brick Fixings
- Special Fixings and Special Fabrications

Manufactured from round bar or plate section, the anchors are available in a number of standard shapes. They are fixed with a thread or a weld, and can be supplied with a weld foot. The fixings are available in the full range of stainless steels and alloys, and can be made to suit any depth of lining.

V' Anchors

Manufactured from bar diameter 5-12mm. The anchor legs can be supplied to individual requirements with odd lengths, with bends or crimps, and with plastic end caps.

Crook Anchors

Crook anchors are manufactured from 5-12mm diameter bar. The crook is available with a span of 75mm, 100mm or 125mm. Crook anchors can be supplied with a plain end, weld leg, thread or bent to fit a pre-welded cleat.

CAST-IN ANCHORS

'Y' Anchors

These anchors are manufactured from 5-12mm diameter bar or from plate section. 'Y' anchors made from round bar can be supplied open to any angle, with a plain end, weld leg or thread.

The tips can be fitted with plastic caps to enable expansion of the tips at temperature. 'Y' anchors from plate section can be supplied open to any angle, or supplied closed for installation of pre-drilled fibreboard or other initial layers prior to opening on site.

Anchors can also be supplied pre-welded to a mild steel base plate for ease of installation on site.


" V " Anchors



Crook Anchors



" Y " Anchors





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Piping Spool

- FLANGED PIPE FITTINGS
- LATERAL TEE
- MITERE BENDS
- PUDDLE FLANGES
- SPLIT TEE
- JACKETED ELBOW
- FLANGED PIPE
- BARRED TEE
- AS PER DRAWING

MATERIALS : Stainless Steel, Duplex, Super Duplex, Alloy Steel, Titanium, Inconel, Monel, Hastelloy, Carbon Steel & Mild Steel.



Fabricated Products

- PIPE HEADER
- HEAT EXCHANGER
- CRITICAL FABRICATION
- FABRICATED PIPE
- OIL COOLERS
- STORAGE TANK & RECEIVERS
- FABRICATED VESSELS
- DISH ENDS
- DISTILLATION COLUMN
- AS PER DRAWING

MATERIALS : Stainless Steel, Duplex, Super Duplex, Alloy Steel, Titanium, Inconel, Monel, Hastelloy, Carbon Steel & Mild Steel.



Coating

We are engaged in offering a comprehensive range of coatings (Internal & External). The offered Pipe, Fittings, Fabrication Job, Spools are appreciated for their Excellence abrasion & Anti Corrosion Properties.

Types of Coatings

Epoxy Coating, Fusion Bonded Coating, Wrapping Coating (3LPE), Polyethylene, Polypropylene, Also as per client requirement.

Range : 50 NB to 1800NB





RUINOX OVERSEAS

Empowering Creativity with Steelwork



MACHINERY & TESTING



BAR CUTTING



FORGING HAMMER



CNC MACHINE



VMC MACHINE



VISUAL & DIMENSION



PMI TEST



ULTRASONIC TEST



COLOUR COATING








RUINOX OVERSEAS

Empowering Creativity with Steelwork



Packaging

PACKAGING & MATERIAL HANDLING





RUINOX OVERSEAS

Empowering Creativity with Steelwork



Third Party Inspection



BUREAU
VERITAS



DET NORSKE VERITAS

Intertek

Valued Quality. Delivered.



TATA CONSULTING ENGINEERS

Lloyd's
Register

Application Industries



Petro Chemical



Oil & Gas



Nuclear & Thermal Power



Cement Plant



Aerospace



Defence



info@ruinox.com / export@ruinox.com



www.ruinox.com



RUINOX OVERSEAS


AN ISO 9001, ISO 14001, ISO 45001 & 2014/68/EU CERTIFIED CO.

Manufacturer, Exporter & Supplier of :

Stainless Steel, Carbon Steel, Alloy Steel, High Nickel Alloys, Copper, Aluminium, Titanium, Tubes, Pipes, Pipe Fittings, Flanges, Plates, Rods, Fasteners, Valves, Ferrous & Non-Ferrous Metals, etc.

 Shop No. 2, No. 25, Vadagama Building, 3rd Panjarapole Lane, Near C.P.Tank Road, Mumbai - 400 004.

 info@ruinox.com / export@ruinox.com  www.ruinox.com

 **SUMIT SHAH** : +91 92222 44474